

①

**Government Hospital, Daman
Administration of Daman and Diu,
O/O Medical Superintendent,
Government Hospital, Daman**

No.GHD/E-TENDER/HD/2014-15/ 2636


Dated: 13 .01.2015

TENDER NOTICE

The Medical Superintendent, Government Hospital, Daman on behalf president of India, invites tenders for following items through on-line on [http: Daman.nprocure.com](http://Daman.nprocure.com) form the manufacturer/Authorized Dealers/Suppliers having valid Licence.The tender notice also available on www.nic.daman.in.

Sr. No.	Description	Total estimated cost	EMD (in the form of FDR)	Tender fees (non refundable)
1	Purchase of Dialysis Equipment (Haemo Dialysis Machine) with 3 KVA UPS	Rs.27,000,00/-	81,000/-	Rs. 2000/-
2	Dialyser Reprocessing Unit			

The tender notice sets with terms and condition are available on the website [www.nic daman.in](http://www.nic.daman.in) and www.nprocure.com last date for uploading the tender is up to 12.hrs on 02. /02/2015


**Medical Superintendent,
Government Hospital,Daman**

**U.T.ADMINISTRATION OF DAMAN & DIU
O/O THE MEDICAL SUPERINDENDENT,
GOVERNMENT HOSPITAL, DAMAN
DAMAN
TERMS & CONDITIONS FOR THE
“PURCHASE OF Dialysis Machine (Haemo Dialysis) With UPS 3KVA
And Reprocessing Unit FOR GOVERNMENT HOSPITAL,DAMAN”**

E-Tender Notice No. No.GHD/E-TENDER/HD/2014-15/2636 Dated 14 /01/2015

1. The rate(s) quoted should be strictly for free delivery at F.O.R. Government Hospital, Daman and will be valid and operative for supply orders issued on or before 31-03-2015
2. The rates should be quoted inclusive of all taxes, installation & commissioning charge etc
3. Except C.S.T. all other Taxes/Duties/Royalties Charges payable on the sales/transport etc. within and/or outside the state of supplier shall be payable by the supplier.
4. No extra charge for packing, forwarding and insurance etc. will be paid on the rates quoted.
5. The rates should be quoted only for the items specified in the list of requirement and should be for the items of given special mark/manufacture.
6. Rates quoted for items other than the required specification/mark/manufacture may not be considered. However, indigenous manufactures may quote their own makes provided the specifications confirm to the standard(s)/requirements of the given Specifications /mark/ manufacturer.
7. Where specifications/mark/manufacture are not specifying by this office, the rates should be quoted only for the 1st class and standard quality. The specification asked for should be written clearly as “Yes’ or ‘No”
8. The Tenderer should specify the name of the manufacturer for the items quoted by him along with catalogue of the item.
- 9.. The decision of the Tender Inviting Officer for acceptance/rejection of any articles supplied including the decision for equivalent specifications, standard and quality etc. of articles shall be final.
10. **The Tenderer should send in advance or enclose along with technical bid an amount of Rs. 81,000/- (Rupees Eighty One Thousand only) as Earnest Money Inform of Demand Draft / F.D.R. of any scheduled Bank payable at Moti Daman in favor of the officer inviting tenders i.e. Medical Superintendent, Daman. The E.M.D. submitted other than form mentioned above will not be accepted.** Tender received without Earnest Money Deposit will be summarily rejected.
11. (a) The successful Tenderer will have to pay within 10 days from the date of demand an amount equal to 10% of the total value of articles, that may be order, as the amount of security deposit.
(b) Non-receipt of Security Deposit within stipulated time limit will result in automatic cancellation of the order for supply without any intimation.

- (c) However in case if any articles are received for which the Security Deposit may not have been deposited, the full Security Deposit as may be due from the supplier will be recovered from the bill(s) for such articles.
12. The amount of Earnest Money paid by the successful Tenderer(s) will be adjusted against the amount of Security Deposit to be paid by the successful Tenderer(s) as per condition No. 12 above.
 13. The tender should be neatly typed only on letterhead carry the name of supplier and the signature of the Tenderer. No overwriting, correction or erasures will be considered.
 14. The amount of Earnest Money paid by the Tenderer(s) whose tenders are not accepted will be refunded to them by Cheque or Demand Draft (as may be convenient to the Tender Inviting Officer if the amount is above Rs.1000/- drawn on an branch of State of India or its subsidiary Schedule Bank. Where this mode of payment is not possible the amount will be refunded at the cost of the Tenderer.
 15. Only on satisfactory completion of the supplies ordered for and on payment of all bills of the supplier, as to be admitted for payment, the amount of Security Deposit/Earnest. Money will be refunded after expiry of guarantee/warranty period, if any, or any such date/period as may be mutually agreed upon.
 16. The tender inviting officer will consider extension of time for remitting the Security Deposit as demanded. However, in case of denial to consider such extension the supplier is bound to abide by the limit given and liable to make good any loss to the Government on account of his failure to abide by the time limit.
 17. (a) Railway Receipt or other transport document should be drawn in favor of the Officer Inviting Tenders.
(b) Railway Receipt or other transport document should not be send by V.P.P. or through any Bank as this being a Government Office it is not possible to clear cash demands of Post Office/Bank for delivery of R.R. or other transport documents unless we have agreed to it as a special arrangement. (c) Railway Receipt or transport should be sent to this Office by Registered Post immediately on dispatch of goods from dispatching end.
 18. The supplies of Store equipment etc. of inferior quality standard or of different specifications, brand, manufacturer etc. other than that ordered specified and/or incomplete or broken articles will not be accepted. The supplier will have to replace the same at his own cost and risk. Intimation of non-acceptance of any stores Machinery and equipment etc. will be sent to the supplier within 10 days from the date of receipt of the stores and the same will be returned to the supplier at his own cost and risk, if he so desires and intimates accordingly within 15 days from the date of dispatch of intimation of the non-acceptance. However, if no communication is received within 15 days from the date of communication the tender Inviting Officer will not be responsible for any damage, loss etc. of such rejected articles.
 19. In case of failure to replace the accepted and rejected articles from supplies made, as mentioned in the conditions, the loss undergone by the Government will be recovered from the suppliers Security Deposit/Earnest Money or payment due of any bill(s) to the extent required.
 20. In case of failure to supply the store, machinery and equipment etc. ordered for, as per conditions and within the stipulated time, the same articles will be obtained from the Tenderer

- recovered from the former suppliers Security Deposit/Earnest Money or bills payable. The suppliers shall have no any right to dispute with such procedure.
21. Extensions of time limit for supplies shall be consider by the Tender Inviting Officer. The extension so granted may be with levy of compensation for delay in execution of supply order up to 5% of the cost of supplies ordered for at the discretion of the authority competent to grant extension of time limit provided such request is made well in time, depending upon the circumstances and such decision in the matter will be final.
 22. Demurrage charges paid by the Tender Inviting Officer on account of delayed receipt of dispatch documents intimation will be recovered from the bills payable to the supplier.
 23. (i) The supplier(s) of the machinery and equipments shall have to supply spare parts as and when required in on an agreed basis i.e. on agreed on the published catalogue/price lists for an agreed period.
(ii) The supplier (s) shall give adequate advance notice before any spare parts goes out of production to enable the tender Inviting Officer to order for spare parts required in one lot for the life time of respective machinery. (iii) If mutually agreed to the supplier(s) shall make available the blue prints of drawing etc. of the spares if any when required in connection with main machinery/equipments.
 24. If at any time after the order for supply of Machinery/stores/equipment the Tender Inviting Officer shall for any reason whatsoever not require the whole or part of the quantity thereof as specified in the order the tender Inviting Officer shall give notice in writing of the fact to the supplier(s) who shall have no claim to any payment of compensation what so ever on account of any profit or advantage which the supplier(s) might have derived from the supply of articles in full, but which did not derive in consequence of the full quantity of articles not having been purchased, nor shall have any claim for compensation by reasons of any alterations having been made in the original instructions which shall invoice any curtailment of the supply originally contemplated.
 25. The Earnest Money(s)/Security Deposit(s) paid by the tender(s) earlier against any tender(s) or supply order(s) is/are not adjustable with Earnest Money or Security Deposit required by these conditions,
 26. All bills should be in DUPLICATE and should invariably mention the number and date of supply order.
 26. All bills for amount above Rs.5000/- should be pre-receipted on a Revenue Stamp of proper value. Bills for amount exceeding Rs.5000/- not pre-receipted on Revenue Stamp of proper value will not be accepted for payment.
 27. Each bill in which Sales Tax is charged must contain the following certificate on the body of the bill. **"CERTIFIED that the goods on which Sales Tax has been charged have not been exempted under the Central Sale Tax Act or the Rules made there under and the amount charged on account of Sales Tax on these goods is not more than what is payable under the provisions of relevant Act or Rules made there under"**.
 28. The Purchase Committee will open the Tenders in presence of tenderers or their representatives, if any present in the Office of the Tender Inviting Officer. The Purchase Committee will first open the technical bid and considering the technical specification of Surgical Instrument. The Committee will open the financial bid only of those firms who are qualified for technical bid as per minimum specifications given by the department


- 29.. The right to accept or reject without assigning any reasons any or all tenders in part or whole is reserved with the Tender Inviting Officer and his decision(s) on all matters relating to acceptance or rejection of the tenders as a whole or in part will be final and binding to all.
30. The tenders/offers received do not conform to the terms and conditions of this office will be summarily rejected. If any firm desires to consider exemption from payment of Earnest Money Deposit, certified copies of its Registration with D.G.S. & D. should be attached to their tenders.
31. If the tenderers whose tender is accepted, fails to execute the supply order within stipulated time the Earnest Money Deposit of such tenders will stand forfeited to the Government.
32. In case, the supplier does not execute the supply order placed with him, the EMD of the supplier will be forfeited to the Government and the contract for the supply shall terminated with no further liabilities on either party to the contract.
33. No separate agreement will be required to be signed by the successful tender(s) for the purpose of this contract for supply. Rates tendered/offered in response to the concerned Tender Notice shall be considered as acceptance of all above terms and conditions for supply for all legal purpose.
34. The items as mentioned in the list are the approximate estimates invited and actual purchase may more. Accordingly the successful Tenderer has no right for any loss/damages with reference to approximate requirement shown in tender and actual requirement.
35. **The last date of downloading of on line tender documents is up to 02.02.2015 By 12.00 Noon. The last date of submission of online tender document/ hard copy is up to 02.02.2015 By 13.00 hours on line opening of price bid if possible is on to 02.02.2015 at 15.00 hours. The Bidder have to submit price bid in Electronic format only, till the Last date and time for submission. Price bid is physical format shall not be accepted in any case.**
36. Supplier may ensure the goods at his own cost to safeguard the delivery of such goods dispatched by him to the consignee; the department will not be responsible for the damage or pilferage of goods during transit.
37. The tenderers should attached details of civil work to be carried out by this Department for installation/commissioning of Incinerators.
38. The tenderer should attached copies of certificate of experience in the field of supply of Haemo Dialysis Machine valid license, proof of fulfilling the norms of IS or ISO, CE Certified specification if any, copy of dealership letter, license for import, PAN No., Catalog of the item quoted etc. with his/their tender. It may please be noted that the tender received without document referred above shall not be considered.
39. The tenderer may be called for a Sample / demonstration of the items quoted for which he/she/they will be informed one week in advance for arranging the necessary Sample / demonstration in the hospital on a suitable date & time failing which the tender will be rejected.
40. **AMC: The rate of AMC should be for the period of three years from the expiry of Guarantee/Warranty period of one year and should written separately in the financial bid year-wise. The decision to accept the tender with or without AMC is reserve with the purchase Committee.**

42. The Bidder should not have quoted price lower than quoted in this tender to any Govt./semi Govt./public sector undertaking, Bidder should enclose affidavit to that effect on a Noon Judicial stamp paper of Rs.10/-

43. The terms and conditions dully accepted and signed by the tenderer should attached with the technical bid.

44. The Financial bid has to filled in prescribed format online. www.nprocure.com.

Signature & Designation of
Tender Inviting Officer


(DR.SUNIL P.AMONKAR)
Medical Superintendent
Government Hospital, Daman

The above terms and conditions are accepted and are binding to me/us.

Place:
Dated:

Signature of tenderers
Name of tenderers with seal of the firm

U.T.Administration of Daman & Diu
O/o/Medical Superintendent
Government Hospital, Daman
Nani Daman

Technical Bid

TENDER NOTICE No.GHD/E-TENDER/HD/2014-15/2636 Dated: 13 /01/2015

<u>Sr. No.</u>	<u>Description</u>	<u>Unit</u>
	<u>Specification for Dialysis Machine</u> (Haemo dialysis Machine with 3 KVA UPS)	<u>Each</u>
<u>1</u>	Machine should have Acetate & Bicarbonate dialysis facility	
<u>2</u>	Machine should have Volumetric Ultra filtration System	
<u>3</u>	Machine should have In-line Bicarbonate mixing and solution preparation facility with sterile dry powder cartridge during dialysis.	
<u>4</u>	Machine should have at least 10" Color TFT display operated by soft touch buttons or touch screen.	
<u>5</u>	Machine should have Sequential/Isolation Ultra filtration facility.	
<u>6</u>	The Machine should be of latest technology with microprocessor controlled.	
<u>7</u>	Machine should have facility for priming and rinsing of dialyzer and blood lines.	
<u>8</u>	Machine should have Ultra filtration and Sodium Profiling facility.	
<u>9</u>	Machine should be upgradable to future software developments and can be linked with Patient	
<u>10</u>	Machine should have inbuilt on-line Dialysate fluid filter system for ultrapure Dialysate delivery	
<u>11</u>	Machine should have Air bubble detector facility with level adjustment facility for Venous chamber by up-down keys.	
<u>12</u>	Machine should have Variable Dialysate flow from 300 to 800 ml/min.	
<u>13</u>	Machine should have In house water filter assembly with cartridge filter	
<u>14</u>	Machine should have Optical Sensor to check the presence of blood/saline in the ex3tracorporeal blood circuit system.	
<u>15</u>	Machine Should accept different concentrate formulation, different Dialyzers and blood tubing sets	
<u>16</u>	Machine Should have dialysate temperature setting range 35°C to 39°C.	
<u>17</u>	Machine should have Heparin Infusion Pump with rate 0 to 10 ml/min. and Bolus Infusion up to 5 ml/min.	
<u>18</u>	Machine should have Blood leak Sensor. Alarm will be activated for blood loss rate not greater than 0.5ml/min at max. dialysate flow of 800ml/min.	
<u>19</u>	It should have Arterial, Venous & Transmembrane pressure monitoring facility i. Arterial Pressure Monitoring : -300mmHg to +300mmHg ii. Venous Pressure Monitoring : -60mmHg to +500mmHg iii. Transmembrane Pressure Monitoring : -60mmHg to +500mmHg	
<u>20</u>	Ultra filtration rate should be from 0 to 4.00 L/Hr.	
<u>21</u>	Machine should have Hot Rinsing and Hot Chemical Disinfection facility (Temp. above 80 deg. Celsius) with recirculation system. Also it should have various chemo Thermal cleansing and disinfection programs.	
<u>22</u>	Treatment parameters should be displayed by trend curve and digital both	
<u>23</u>	Machine should have Automatic Battery backup of 15 to 20 minutes for complete Extracorporeal blood system during power failure.24 Machine should have Inbuilt online Non-Invasive patient blood pressure monitoring.	
<u>24</u>	Blood pump flow rate should be from 20 ml/min. to 600 ml/min. Blood tubing pump segment should be operator changeable for use of different types of blood tubing sets (Blood Pump Tubing Pump segment 4mm to 10mm)	

<u>25</u>	Machine should have Hot Rinsing and Hot Chemical Disinfection facility (Temp. above 80 deg. Celsius) with recirculation system. Also it should have various chemo Thermal cleansing and disinfection programs.	
	* Data Management System	
<u>26</u>	User's list of quoted model with the addresses & contact Nos. to be provided	
<u>27</u>	Training to MEC Engineer.	
<u>27</u>	Demonstration of the quoted model should be given with all above technical specifications.	
<u>28</u>	Machine should be US FDA approved OR CE certified.	
<u>29</u>	Should work on AC mains without batteries.	
<u>30</u>	Demonstration compulsory	
<u>31</u>	Should have strong service support back up in Gujarat. Give details of after sales service network.	
<u>32</u>	Machine should have real time clearance surveillance for urea & Kt/v to assess adequacy of dialysis. It should display real time Urea clearance, Plasma Sodium, Current Kt/V and Time required achieving target Kt/V.	
<u>33</u>	Power supply – 230VAC, 50Hz	
<u>34</u>	Operating & service manual with detail circuit diagram should be provided.	
<u>35</u>	Tropicalization: <ul style="list-style-type: none"> i. Operating room Temp.15°C upto 35°C ii. Storage room temp 5°C upto 60°C iii. Relative humidity 30%upto 75% non condensiry 	
<u>2</u>	DAILYZER REPROCESSING UNIT	
	A) Semiautomatic operation for customized cleaning	
	B) Able to clean both high flux and low flux dialyses and Hemodia-filters	
	C) Safe for cellulose based and synthetic membranes	
	D) have facility to test residual volume and membrane integrity	
	E) facility to test fiber leakage	
	F) Facility to automatic disinfect the dialyser membranes	
	G) Tests blood port connections and dialyser header caps for proper fitment	
	H) Avt. Water flow 1.75 liter per minute and pressure is 20-55 PSI	
	I) input supply 220-250 volts, 50-60 hertz 460 watt maximum 2 Amp	
	J) it is in built dedicate software	
	K) provide bar code for each patient	
	L) provides renalin consumption and remaining quantity will be displayed	
	M) data base Management provides active/ inactive patients/ dialyziers history	
	N) it provides bar code label for authentication calibration patients details	
	O) provide interface module that can operate 6 renatrons data base at a time	
	P_ USFDA approved	
	R) Renalin dialyser reprocessing concentrated (cold sterilant and disinfectant) is used to be clean and disinfect the dialyser (one liter of concentrated renalin cleaned and disinfected for 30 dialyzers)	
	S) Estimated life of equipment – 15 years	
	T) up gradation of software/ hardware is not required	
	U) provision for local service	
	V) Basic equipment and accessories <ul style="list-style-type: none"> a) pressure guage 0 -100 b) Renalin uptake tube assembly c) Drain outlet pipe d) drip tray 	
	W) specific power supply requirement	
	Version 1 – 100-120 VAC 50/60 Hz	
	Version 1- 200-240 VAC 50/60 Hz	

U.T. Administration of Daman & Diu
 O/o/Medical Superintendent
 Government Hospital, Daman
 Nani Daman

Tender from (Financial Bid)

TENDER NOTICE No. No.GHD/E-TENDER/HD/2014-15/2636 Dated: 13 /01/2015

Sr. No.	Description of Equipment	Qty	Rate
<u>1</u>	Specification for Dialysis Machine (Haemo dialysis with 3 KVA UPS (Rate as per Technical Bid)	<u>Per nos</u>	Rate should be on line www.nprocure.com
<u>2</u>	Dialyser Reprocessing Unit	<u>Per nos</u>	
	The Annual Maintenance Contract (AMC) of comprehensive nature for the period of three years from the expiry of Guarantee/Warranty period of one year		
<u>1</u>	Specification for Dialysis Machine (Haemo dialysis with 3 KVA UPS	1st year	
		2 nd year	
		3 rd year	
<u>2</u>	Dialyser Reprocessing Unit	1 st year	
		2 nd year	
		3 rd year	