No.GHD/TENDER/2015-2016/ Administration of Daman and Diu, O/O. The Medical Superintendent, Government Hospital, Daman

No.GHD/TENDER/2015-2016/2284

Dated: 15.01.2016

To,

The Filed Publicity Officer,

Daman

Sub: Publication of Tender Notice....

Sir,

Please find enclosed herewith tender Notice No.GHD/E-Tender/2015-2016/2283 dated. 15.01.2015, it is requested to publish the Newspaper as per new guidelines; it is also requested to provide the copy of the paper for office record.

Your faithfully,

(Dr. K. Y. Sultan) ([1]) Medical Superintendent, Government Hospital, Daman

Encl: A/A

Copy: 1. The District Informatics Officer, NIC, Daman with a request to publish on Website.

2. The Director Medical Health Services, Moti Daman

No.GHD/TENDER/2015-2016/ Administration of Daman and Diu, O/o. The Medical Superintendent, Government Hospital, Daman.

No.GHD/TENDER/2015-2016/2283

Dated:15.01.2016

E-TENDER (ON LINE NOTICE)

The Medical Superintendent, Government Hospital, Daman on behalf of President of India, invites tender on Rate Contract basis for Supply of Orthopaedic Implants online on Http.www.nprocure.com. from manufacturer/Authorized Dealers/Suppliers having valid license. The tender notice also available on www.daman.nic.in

Medical Superintendent,

Government Hospital, Daman

Administration of Daman and Diu, O/O Medical Superintendent, Government Hospital, Daman

No.GHD/E-TENDER/2015-2016/2283

E-TENDER (ON LINE) NOTICE

The Medical Superintendent, Government Hospital, Daman on behalf of president of India, invites tenders on Rate Contract basis for supply of Ortho. Implants through on –line on http:Daman.nprocure.com from the manufacturer/Authorized Dealers/suppliers having valid Licenses. The tender notice also available on www.nic daman.in

| Sr. No. | Description Items | Approximately Estimated cost | EMD (in the form of FDR) | Tender fees (Non refundable |
|------------|--|---------------------------------|--------------------------|-----------------------------------|
| 01 | Supply of Orthopaedic Implants on Rate Contract basis. | Rs.25,00,000 | Rs 75,000,/- | 2000/- |

Last date of downloading of on line tender documents: upto 08.02.2016 by 12.00 hours Last date of submission of online tender document: upto 08.02.2016 by 15.00 hours.

On line opening of price Bid: If possible on 08.02.2016 at 16.00 hours

Bidders have to submit price bid in Electronic format only on www.nprocure.com till the last date and time for submission. Price bid in physical formant shall not be accepted in any case.

Submission of tender fees in the form of DD, EMD in the form of FDR and other supporting documents i.e. copy of valid license from competent authority, copy of VAT/ST Registration and copy of PAN/TAN of income Tax etc, and terms and condition duly signed in hard copy to the undersigned by RPAD/Speed post/by hand on or before 08.02.2016 upto 13.00 hours, however, Tender Inviting authority shall not be responsible for any postal delay.

The tender inviting authority reserves the right to accept or reject any or all the tenders to be received without assigning any reasons thereof.

Biddere shall have to post their queries on E-mail address: ghddmn@gmail.com on or before dated. $08.02.2016~upto\ 11.00~hours$.

In case bidder needs any clarification or if training required for participating in online tender, they can contact the following office.

(n) Code Solution-A division, GNFC Ltd"

403, GNFC Info Tower, Bodakdev,

Ahmedabad- 380054, Gujarat (India)

E-Mail nprocure @ncode.in Fax +917926857321

Website:www.nprocure.com

(Dr. K. Y. Sultan)
Medical Superintendent,
Government Hospital, Daman

Dated: 15.01.2016

ADMINSTRATION OF DAMAN AND DIU, O/O. THE MEDICAL SUPERINTENDENT, GOVERNMENT HOSPITAL, DAMAN.

Tender Notice No. GHD/Ortho. Implants/2015-2016/2283

Dated: - 15.01.2016

TERMS AND CONDITIONS FOR SUPPLY OF ORTHOPAEDIC IMPLANTS ON CONTRACT BASIS FOR GOVERNMENT HOSPITAL, DAMAN.

1. The rate(s) quoted should be strictly for free delivery at F.O.R Government Hospital, Daman. and will be valid and operative for supply orders issued for one year from the date of award of the tender.

2. Delivery Terms:

- **a.** The delivery of stores/execution of work/providing the services etc, is required within a period as specified below and as the place mentioned therein.
- **b.** The tenderer shall deliver the stores at OT to the consignee in good order (of which the Medical Superintendent, Government Hospital, Daman shall be sole judge) within the limits quantity or quantities as may be ordered by him from time to time.
- c. The time for and the date of delivery of the stores stipulated in the schedule shall be deemed to be the essence of contract and delivery must be completed not later than the date(s) specified.
- **d.** The supply of Ortho. Implants shall be within 12-24 hour and implant should be supply in OT before 2 PM one day before surgery.
- e. Bill will be processed only for used Ortho. Implant after verification Ortho. Department.
- f. Ortho. Implant order will be tentative.
- g. Ensure the supply of Ortho. Implant with proper size for the operation.
- **h.** For replacement and spinal surgery information will be provided earliest within 48-72 hour.
- i. Instruments which are not required for Ortho. Surgery will not be chargeable and party will take away after completion of Ortho. Surgery.
- j. For any issue regarding implant Ortho in-charge decision will be final.
- k. Bill for the implant should be submitted within 72 Hour after surgery.
- If the case is referred due to failure of supply, the cost of referral treatment for that
 case will be borne by the empanelled party.
- m. For any increase in rate for implant prior intimation and approval from Ortho. Incharge and Medical Superintendent will be necessary.

But if the delay shall have arisen from any cause, such as, lockouts, fire, accident, riot etc., which the Medical Superintendent, Government Hospital, Daman may admit it as reasonable ground for further time and the Medical Superintendent may allow such additional time required by circumstances of the case.

3. Delivery of supply order:-

- a. The approved tenderer and/or their authorized representative(s) will visit OT/Orthopedic department 1-2 day(s) before posting of operation.
- **b.** After obtaining the order as specified in clause above, the approved tenderer and/or their authorized representative(s) shall supply the material as per order to Operation Theater if this hospital as per special terms and condition mentioned herein before.
- c. The Implant to be supplied will be of standard quality. In case, it is found that any particular is substandard or spurious, the supplier will be liable to be black-listed for a period of 5 year for future participation in any tender. Besides any other legal actions as deemed fit will be taken.

While

d. All challan as well as the bills are to be submitted strictly in triplicate. Bill should be pre-received with application of revenue stamp wherever necessary. Care should be taken to submit the challans and bills duly completed and without any errors to prevent rejection/cancellation/delay in their processing of bills. It should be reveived in favour of Medical Superintendent, Government Hospital, Daman.

4. Risk Purchase:-

- a. In case of failure to supply all items as per requisition/purchase order/specification/prescribed brand of item or failure to turn up to collect the order from the hospital, shall be treated as 'non-compliance' and 'breach of contract' the orders from the hospital, it shall be treated as 'non-compliance' and ' breach of contract' and the order in part or full shall be arranged from alternative source(s) at the discretion of the hospital authority (Medical Superintendent) and the difference in prices will be realized from the tendered with whom contract is made by way of any of his subsequent/ pending bills or security deposit.
 - For 1st breach of such contract a penalty of Rs-5000/-will be imposed apart from recovery of to total amount incurred in supplying the same items from alternative source.
 - For 2nd repeated default a penalty of 10000/-will be imposed apart from recovery of to total amount incurred in supplying the same items from alternative source.
 - For 3rd such default the agency shall be black listed for 5 years for future participation in any future tender of this hospital.

If any such case/patient is referred to tie up institution due to non supply of item as mention in the contract agreement, the amount incurred in treatment of case/patient shall be recovered from the vendor/contractor.

5. Validity of Tender:-

Tender shall be valid for 1 year from the date of award of the tender. If supplier is willing to accept the offer he may submit the letter of acceptance and enter into the agreement with Government Hospital, Daman as per terms and conditions of the contract.

6. Acceptance:-

On finalization of the tender supplier will be communicated by a letter of offer. In case supplier is willing to accept the offer he may submit the letter of acceptance and enter into agreement with Government Hospital, Daman as per term and conditions of the contract.

7. Arbitration:-

In case of any dispute (between the purchaser and the supplier) arising under the contract or in regard to the interpretation of the terms and conditions of the contract, decision of the Medical Superintendent or any other officer nominated by him to act as arbitrator in the dispute, shall be final and binding on both parties of this contract.

8. Documents:-

The contractor will submit the following documents along with the tender:

- i. Latest sales tax/VAT registration certificate.
- ii. Name & addresses of their Bankers for cheque/ECS purposes.
- iii. The tenderer Manufacture/Authorized dealer should have been established at least 3 years back (from the date of publish of tender document) supportive document relevant to this to be attached.
- iv. Audited Annual turnover at par or more than the expected value of purchase, duly certified by Charted Accounted along with profit & loss account and income & expenditure statement of the firm for the last three years.
- v. Each and every page to be signed and stamped by the tenderer.
- vi. Tenderers who do not furnish attested and stamped documents referred documents referred above will not be considered.
- vii. Photoscopy of income Tax PAN CARD.

- 9. All Taxes/ Duties/ Royalties charges payable on sales/transport etc. within and / or outside the UT / State shall be payable by the supplier.
- 10. Where specification / mark/ manufacture are not specifying by this office, the rates should be quoted only for the first class and standard quality only.
- 11. The decision of the E-Tender Inviting Officer acceptance/rejection of any **Orthopaedic Implants** supplied including the decision for equivalent specifications, standard and quality etc. shall be final.
- 12. (a) The successful tenderer will have to pay within 10 days from the date of demand, an amount equal to 10% of the total value of articles (b) Non-receipt of Security Deposit within stipulated time limit will result in automatic cancellation of the order for supply without any intimation.
- (c) However in case if any articles are received for which the Security Deposit may not have been deposited, the full Security Deposit as may be due from the supplier will be recovered from the bills for such articles.
- 13. The amount of Earnest Money paid by the successful Tendere(s) will be adjusted against the amount of Security Deposit to be paid by the successful tenderer(s) as per condition No. 5 above.
- 14. All bills for amount above Rs.5000/- should be pre-receipted on a Revenue Stamp of proper value. Bills for amount exceeding Rs.5000/- not pre-receipted on Revenue Stamp of proper value will not be accepted for payment.
- 15. Each bill in which Sales Tax/Vat is charged must contain the following certificate on the body of the bill.

"CERTIFIED that the goods on which Sales Tax/VAT has been charged have not been exempted under the VAT/ Central Sale Tax Act or the Rules made there under and the amount charged on account of VAT/Sales Tax on these goods is not more than what is payable under the provisions of relevant Act or Rules made there under".

- 16. The right to accept or reject without assigning any reasons or all tenders in part or whole is reserved with the E-Tender Inviting Officer and his decision(s) on all matters relating to acceptance or rejection of the tenders as a whole or in part will be final and binding to all.
- 17. If the tenderer whose tender is accepted, fails to execute the supply order within stipulated time the Earnest Money Deposit of such tenders will stand forfeited to the Government.
- 18. In case, the supplier does not execute the supply order placed with him, the EMD of the supplier will be forfeited to the Government and the contract for the supply shall terminated with no further liabilities on either party to the contract.
- 19. No separate agreement will be required to be signed by the successful tender(s) for the purpose of this contract for supply. Rates tendered/offered in response to the concerned Tender Notice shall be considered as acceptance of all above terms and conditions for supply for all legal purpose.
- 20. The E- Tender should be neatly typed only on letterhead carry the name of supplier and the signature of the tenderer. No overwriting correction or erasures will be considered.
- 21. The rates quoted should be inclusive of all taxes, duties, surcharges, cess, freight, loading, unloading, insurance, road permits, packing, (VAT and other taxes if applicable) as applicable. No extra taxes will be given.
- 22. All bills should be in **TRIPLICATE** and should invariably mention the number and date of supply order.
- 23. The Tenders and financial bid should be submitted online on www.nprocure.com in two bid system.

- 24. Orders once placed should be delivered within the given time period and item should be door delivered.
- 25. No extra charge for packing, forwarding and insurance etc. will be paid on the rates quoted.
- 26. The rates should be quoted only for the items specifies in the list of requirement and should be for the items of given special mark/manufacture only.
- 27. Rates quoted for items other than the required specification / mark / manufacture will not be considered.
- 28. The amount of Earnest Money paid by the tenderer(s) whose tenders are not accepted will be refunded to them.
- 29. Only on satisfactory completion of the supply order for and on payment of all bills of the supplier, as to be admitted for payment, the amount of Security Deposit/Earnest Money will be refunded after expiry of guarantee/warranty period, if any, or any such date/period as may be mutually agreed upon.
- 30. The E-tender inviting officer will consider extension of time for remitting the Security Deposit as demanded. However, in case of denial to consider such extension the supplier is bound to abide by the limit given and liable to make good any loss to the Government on account of his failure to abide by the time limit.
- 31. (a) Railway Receipt or other transport document should be drawn in favor of the Officer Inviting Tenders.
- (b) Railway Receipt or other transport document should not be send by V.P.P. or through any Bank as this being a Government Office it is not possible to clear cash demands of Post Office/Bank for delivery of R.R. or other transport documents unless we have agreed to it as a special arrangement.
- (c) Railway Receipt or transport receipt should be sent to this Office by Registered Post immediately on dispatch of goods from dispatching end.
- 32. The supplies of **Orthopaedic Implants** of inferior quality standard or of different specifications, doses/content, brand, manufacturer etc. other than that ordered specified and/or incomplete or broken articles will not be accepted. The supplier has to replace the same at his own cost and risk. Intimation of non-acceptance of any **Orthopaedic Implants** will be sent to the supplier within 10 days from the date of receipt of the stores and the same will be returned to the supplier at his own cost and risk, if he so desires and intimates accordingly within 15 days from the date of dispatch of intimation of the non-acceptance. However, if no communication is received within 15 days from the date of communication the tender Inviting Officer will not be responsible for any damage, loss etc. of such rejected articles.
- 33. In case of failure to replace the accepted and rejected articles from supplies made, as mentioned in the conditions, the loss undergone by the Government will be recovered from the suppliers Security Deposit/Earnest Money or payment due of any bill(s) to the extent required.
- 34. In case of failure to supply the Orthopaedic Implants ordered for, as per conditions and within the stipulated time, the same will be obtained from the tenderer who offered next higher rates or from any other sources, as may be decided by the tender inviting Officer and the loss to the Government on account of such purchases(s) shall be recovered from the former suppliers Security Deposit/Earnest Money or bills payable. The suppliers shall have no any right to dispute with such procedure.
- 35. Extension of time limit for supplies shall be consider by the Tender Inviting Officer. The extension so granted may be with levy of compensation for delay in execution of supply order up to 5% of the cost of supplies ordered for at the discretion of the authority competent to grant extension of time limit provided such request is made well in time, depending upon the circumstances and such decision in the matter will be final.
- 36. Demurrage charges paid by the E-Tender Inviting Officer on account of delayed receipt of dispatch documents intimation will be recovered from the bills payable to the supplier.

- 37. If at any time after the order for supply of **Orthopaedic Implants** the E-Tender Inviting Officer shall for any reason whatsoever not require the whole or part of the quantity thereof as specified in the order the tender Inviting Officer shall give notice in writing of the fact to the supplier(s) who shall have no claim to any payment of compensation what so ever on account of any profit or advantage which the supplier(s) might have derived from the supply of articles in full, but which did not derive in consequence of the full quantity of articles not having been purchased, nor shall have any claim for compensation by reasons of any alterations having been made in the original instructions which shall invoice any curtailment of the supply originally contemplated.
- 38. Rates should be quoted in the forms issued from the department as per the requirement asked for.
- 39. The Earnest Money(s)/Security Deposit(s) paid by the tender(s) earlier against any tender(s) or supply order(s) is/are not adjustable with Earnest Money or Security Deposit required by these conditions,
- 40. The Tenders/offers received do not confirm with the terms and conditions of this office will be summarily rejected. If any firm desires to consider exemption from payment of Earnest Money Deposit, certified copies of its Registration with D.G.S. & D. should be attached to their tenders.
- 41. The items as mentioned in the list are the approximate estimates invited and actual purchase may more or less. Accordingly the successful tenderer has no right for any loss/damages with reference to approximate requirement shown in tender and actual requirement.
- 42. Supplier may ensure the goods at his own cost to safeguard the delivery of such goods dispatched by him to the consignee, the department will not be responsible for the damage or pilferage of goods during transit.
- 43. The tenderer should attached Scanned copies of certificate of **experience in the field of supply of Orthopaedic Implants valid license, proof of fulfilling the norms of ISI/ISO/WHO/GMP specification if any, licence for import, PAN No, Sales Tax No. with his/their tender. It may please be noted that the tender received without document referred above shall not be considered.**
- 44. Rates quoted are for Supply of **Orthopaedic Implants** to be supplied at Government Hospital, Daman.
- 45. Tenderer should enclose along with tender an amount of Rs.75,000/- (Rupees Seventy five thousand only) as Earnest Money Deposit in form of Fixed Deposit Receipt of any Nationalized/ Scheduled Bank payable at Daman in favour of Medical Superintendent Daman. The EMD Submitted other than Form mentioned above will not be accepted. Tender received without EMD will be summarily rejected.
- 46. The decision of the E- Tender Inviting Officer acceptance/rejection of any **Orthopaedic Implants** supplied including the decision for equivalent specifications, standard and quality etc. of medicines shall be final.
- 47. The tender fee must be enclosed in demand draft in favour of undersigned with the tender documents.
- 48. This department will specify the expiry date period of **Orthopaedic Implants** in the supply order. Generally the expiry date **Orthopaedic Implants** etc. to be supplied by the successful tender must be maximum.
- 49. Supply quantity of the **Orthopaedic Implants** will be given as per day to day requirement and successful supplier shall visit once in a week in order to collect the supply order.
- 50. The tendered quantity is tentative and the actual purchase can be 15% less or more than the quantity put to tender for all items and the tenderers is bond to supply such requirement without any demur.
- 51. The tendering firm must be registered with the Sales Tax/ VAT department and a copy of their registration under the Sales Tax / VAT bearing the TIN Number be provided.

Glubs

- 52. The terms and conditions dully accepted and signed by the tenderers should attached with the Technical Bid.
- 53. The last date of downloading of on-line tender documents is up to 08.02.2016 by 12.00 hours. The last date of submission of on-line tender documents is up to 08.02.2016 by 15.00 hours on line opening of price bid is possible is on 08.02.2016 at 16.00 hours. The Bidder have to submit price bid in Electronic format only on. Till the last date and time for submission. Price bid is physical format shall not be accepted in any case.
- 54. Tenderer should furnished a non black listed certificate that the firm has not been black listed in the past by any Government/private institution that there is no vigilance/CBI case against the firms supplier and the firm has not been blacklisted in the past by any Government or private organization, the tenderers should be attach an undertaking. (Annexure-I)
- 55. The firm should submitted an affidavit on stamp paper of Rs.100/- duly notarized that the quoted rates are not higher than the existing L-1 contract of rate to any other Govt. institute either Central Govt./ State Govt./U.T E.S.I, D.G.S. & D. as well as whole sale, market rates.
- 56. It should be clearly mentioned on affidavit, that the firm has not supplied the item quoted lower than rates submitted in this tender to any other Govt. institute either Central Govt./State Govt./U.T.

Signature & Designation

of Tender Inviting Officer

(Dr. K. Y. Sultan) Medical Superintendent, Government Hospital, Daman

15/116

The above terms and conditions are accepted

and are binding to me/us.

Place:

Signature of tenderer & status Name of tenderer with seal of the firm

Dated:

NOTE: Please return one copy of these terms and conditions dully sign with seal of firm along with the tender.

ANNEXURE: I

(to be submitted on the letter head of the company/firm)

I hereby certify that the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institution on any account.

I also certify that the above information is true and correct in any every respect and in any case at a letter date it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

I also certify that firm will supply the item as per the specifications given by institution and also a bide all the terms and conditions stipulated in tender.

Date:

Name:

Place:

Business Address:

Signature Bidder:

Seal of Bidder:

the

ADMINSTRATION OF DAMAN AND DIU, O/O. THE MEDICAL SUPERINTENDENT, GOVERNMENT HOSPITAL, DAMAN.

Tender Notice No. GHD/ Orthopaedic Implants /2015-2016/2283

Dated:- 15.01.2016

TECHNICAL BID FOR ORTHOPAEDIC IMPLANTS

| Sr.No. | Specification | Quantity | Remaks |
|--------|---|---------------------------------|---------------|
| 1 | Mini Cortex Screw Xl Dia 2.7 mm-10mm to 30 mm 10 | 110 | |
| | Each (2mm variation) | | |
| 2 | Small T-Plate 3.5 mm each size | | |
| | 3 Holes | 2 | |
| | • 4 Holes | 2 | |
| | • 5 Holes | 2 | |
| | • 6 Holes | 2 | |
| 3 | | - 2 | |
| 3 | Small Oblique T-Plate 3.5 mm for Left & Right Radius Each Size | | |
| | 1100-120 Mag-10-20-1000 Mg (60) | | |
| | • 3 Holes | 2 | |
| | • 4 Holes | 2 | |
| | • 5 Holes | 2 | |
| 4 | Clover Leaf-Plate 3.5 mm each size | | |
| | 3 Holes | 2 | |
| | • 4 Holes | 2 | |
| | • 5 Holes | 2 | |
| | • 6 Holes | 2 | |
| 5 | Y- Plate 3.5 mm each size | 4 | |
| 697.7 | 3 Holes | 2 | |
| | • 4 Holes | 2 | A BANK |
| | • 5 Holes | 2 2 | 1 1 2 1 |
| | 6 Holes | 2 | J. B. Mari |
| | • 7 Holes | 2 | |
| | 8 Holes | 2 | |
| 6 | | 4 | |
| × | Self Compression Plate (S.C.P.) 2.7 mm Extra Small each size | | |
| | 3 Holes | 2 | |
| | • 4 Holes | 2 2 | |
| | • 5 Holes | 2 | |
| | 6 Holes | 2 | |
| | • 7 Holes | 2 | |
| | 8 Holes | 2 | (18 X) |
| | - Offices | - M | |
| | G PLATE SYSTEM | | |
| 7 | Humeras Interlocking Nail Dia. 6.5 mm & 7.5 mm | | ALC: PER LINE |
| | • Dia 6.5 mm x 205 mm | 1 | |
| | Dia. 6.5 mm x 220 to 310 mm (10 Variation) | 10 | I DE VIEN |
| | Dia. 7.5 mm x 205 mm | 1 | The state of |
| voi | Dia. 7.5 mm x 220 to 31mm (10 Variation) | 10 | |
| 3 | Locking Screw Dia. 3.4 mm for Humeras I/L Nail | | 37290 |
| | 18 mm to 50 mm (2 mm Variation) 10 each | 170 | |
| 9 | Plug Cap for Humeras I/L Nail Each Size | | |
| | • 5 mm | 2 | 4 1 7 1 |
| | • 10mm | 2 | 34 99 |
| 120 | • 15mm | 2 | |
| .0 | LCSCP 3.5 mm Small with Locking System each size | | E TREE A |
| | • 4 Holes | 2 | 1 - 1 1 1 |
| | 6 Holes | 2 | 1000 |
| | 8 Holes | 2 | 10751 |
| | • 10 Holes | 2 | . The same |
| | • 12 Holes | 2 | 35112 |
| | • 14 Holes | 2 2 2 2 2 2 2 | |
| | • 16 Holes | 2 | 111 |
| | TO HOTES | 2750 | |

| 11 | LCSCP 4.5 mm Narrow with Locking System each size | | |
|-----|---|-----------|-----------|
| 1.1 | 4 Holes | 2 | |
| | • 6 Holes | A second | |
| | 0 1.00 3.7 (2.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 2 2 | |
| | 8 Holes | 2 | |
| | • 10 Holes | 2 | |
| | • 12 Holes | 2 | |
| | • 14 Holes | 2 2 | |
| 1.0 | • 16 Holes | | |
| 12 | LCSCP 4.5 mm Broad with Locking System each size | 2 | |
| | • 4 Holes | 2 2 | - 114 |
| | • 6 Holes | | |
| | 8 Holes | 2 2 2 | |
| | • 10 Holes | 2 | |
| | • 12 Holes | | |
| | • 14 Holes | 2 | |
| | • 16 Holes | 2 | |
| | • 18 Holes | 000000000 | |
| 13 | Cortex Screw Dia. 3.5 mm to each size | 360 | |
| | 10 mm x 30 mm (2 mm Variation) 10 each | | |
| | 32 mm to 80 mm (2 mm Variation) 10 Each | | |
| 14 | Cortex Srew Dia 3.5 mm for Locking Plate with locking | 360 | |
| | Head | | |
| | 10 mm x 30 mm (2 mm Variation) 10 each | | |
| | 32 mm to 80 mm (2 mm Variation) 10 Each | | |
| 15 | Cortex Screw Dia. 4.5 mm 10 each size | 260 | |
| | • 10 mm x 30 mm (2 mm Variation) | | |
| | 32 mm to 80 mm (2 mm Variation) | | |
| 1.0 | • 52 mm to 60 mm (2 mm Variation) | 260 | |
| 16 | Cortex Screw Dia. 4.5 mm for Locking Plate with locking | 360 | |
| | Head 10 each size • 10 mm x 30 mm (2 mm Variation) | | |
| | • 32 mm to 80 mm (2 mm Variation) | | |
| | • 52 mm to 60 mm (2 mm Variation) | | |
| 17 | Distal Radius Locking Volar Plate Diff. type 2.4 mm | 16 | |
| | 3,4,5,6 RT & LT | | |
| 18 | Distal Radius Locking Dorsal Plate Diff. type 2.4 mm | 12 | |
| | 3,4,5, RT & LT | | |
| 19 | 2.4 mm Locking Head Screw 8 mm to 30 mm 5 each | 60 | |
| 20 | Locking Olecranon Plate 2 Holes to 10 Hole RT & LT | 10 | |
| 21 | Small T Plate 3.5 mm with Locking System (1 mm Hole | | |
| | Variation) each size | 2 | |
| | • 3 Holes | 2 2 | |
| | • 4 Holes | 2 | |
| | • 5 Holes | 2 2 | |
| 22 | 6 Holes Reconstruction Plate 3.5 mm with Locking System each | | |
| 22 | size | | 1 22 |
| | 4 Holes | 2 | |
| | 6 Holes | 2 2 | |
| | 8 Holes | | |
| | • 10 Holes | 2 2 | |
| | • 12 Holes | 2 | - 1/2-150 |
| | • 14 Holes | 2 | |
| | • 16 Holes | 2 | |
| 23 | T Plate 4.5mm with Locking System each size | | |
| | • 4 Holes | 2 | |
| | • 5 Holes | 2 | |
| | 6 Holes | 2 | |
| | • 7 Holes | 2 | |
| | 8 Holes | 2 | |
| | • 9 Holes | 2 | |
| | • 10 Holes | 2 | |
| | | | |
| | | | 1,0 |
| | | | Le |
| | | | 1 CVV |

| 24 | | |
|----------------|--|--|
| | T Butterss Plate 4.5 mm with Locking Systemeach size | |
| | 4 Holes | 2 |
| | 3/12/4/10/5/3/00/40/00 ¹ | 2 |
| | • 5 Holes | 2 |
| | 6 Holes | 2 |
| | • 7 Holes | 2 |
| | OF PENNINESPORIES | |
| | 8 Holes | 2 |
| | • 9 Holes | 2 |
| | • 10 Holes | 2 |
| 25 | 415-241-3190-3900-3000-5 | |
| 25 | L Butterss Plate 4.5 mm Left Leg with Locking System | |
| | each size | |
| | 4 Holes | 2 |
| | • 5 Holes | 2 |
| | | 2 |
| | 6 Holes | 2 |
| | • 7 Holes | 2 |
| | 8 Holes | 2 |
| | 9 Holes | 2 |
| | • 10 Holes | 2 |
| 26 | | - |
| 26 | L Buttress Plate 4.5 mm Right Leg with Locking System | |
| | each size | |
| | 3 Holes | 2 |
| | • 4 Holes | 2 |
| | • 5 Holes | 2 |
| | 6 Holes | 2 |
| | • 7 Holes | 2 |
| | VA 10 7 - | 2 |
| | 8 Holes | 2 |
| | 9 Holes | |
| | • 10 Holes | 2 |
| 27 | Lateral Tibal Head Buttress Plate 4.5 mm with Locking | |
| | Systems Left/Right each size | |
| | 4 Holes | 2 |
| | 6 Holes | 2 |
| | 8 Holes | 2 |
| | • 10 Holes | 2 |
| | • 12 Holes | 2 |
| | | 2 |
| 28 | AND CONTROL CO | 2 |
| 20 | Distal Femoral Plate with Locking System Left/ Right | |
| | each size | |
| | • 4 Holes | 2 2 |
| | 6 Holes | 2 |
| | | |
| | 8 Holes | 2 |
| | 8 Holes10 Holes | 2 2 |
| | | 2 2 2 |
| | 10 Holes12 Holes | 2 2 2 2 2 |
| 29 | 10 Holes12 Holes14 Holes | |
| 29 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without | |
| 29 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size | 2 |
| 29 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes | 2 |
| 29 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes | 2 2 2 |
| 29 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes | 2 2 2 2 |
| 29 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes | 2 2 2 2 2 2 |
| 2016 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes | 2 2 2 2 |
| 2016 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size | 2 2 2 2 2 2 |
| 2016 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes | 2 2 2 2 2 2 |
| 2016 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size | 2 2 2 2 2 2 2 2 |
| 5005 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes | 2 2 2 2 2 2 2 2 2 |
| 5005 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes | 2 2 2 2 2 2 2 2 2 2 |
| 2016 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 9 Holes 9 Holes 9 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes | 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 9 Holes 14 Holes Pholes 9 Holes 14 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size 4 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size 4 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size 4 Holes 6 Holes 8 Holes 8 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size 4 Holes 6 Holes 8 Holes 10 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 29 30 31 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size 4 Holes 6 Holes 8 Holes 8 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 30 | 10 Holes 12 Holes 14 Holes DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 14 Holes DHL Medial Locking Plate 3.5 mm Left/ Right each size 3 Holes 5 Holes 7 Holes 9 Holes 9 Holes 14 Holes PHMA Locking Plate (Proximal Humerus Multi Angle) each size 4 Holes 6 Holes 8 Holes 10 Holes | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |

| 32 | Materiles al Distal M. P. Liu | | |
|-------|---|-----|---------|
| 32 | Metaphyseal Distal Medial Humerus Locking Plate 3.5 | | |
| | mm each size | | |
| | • 7 Holes | 2 | |
| | • 9 Holes | 2 | |
| | • 11 Holes | 2 | |
| | • 13 Holes | 2 | |
| | • 15 Holes | 2 | |
| 33 | Distal Medial Tibia Locking Plate 3.5 mm Left/Right each | | |
| | size (Zimmer Type) | | |
| | • 4 Holes | | |
| | 6 Holes | 2 | |
| | 8 Holes | 2 | |
| | • 10 Holes | 2 | |
| | • 12 Holes | 2 | |
| | • 14 Holes | 2 | |
| 34 | Promimal Medial Tibia Locking Plate 3.5 mm Left/ Right | | |
| | each size | | |
| | • 4 Holes | 2 | |
| | • 6 Holes | 2 | |
| | 8 Holes | 2 | |
| | • 10 Holes | 2 | |
| 0.00 | • 12 Holes | 2 | |
| 35 | Proximal Lateral Tibia Locking Plate 3.5 mm Left/ Right | | |
| | each size • 4 Holes | 2 | |
| | 6 Holes | 2 2 | |
| | 8 Holes | 2 | |
| | • 10 Holes | 2 | |
| | • 12 Holes | 2 | |
| 36 | Humerus without support Locking Plate (Left/Right) | | |
| | each size | | |
| | • 3 H | 2 | |
| | • 5 H | 2 | |
| | • 7 H • 9 H | 2 2 | |
| 37 | Humerus with support Locking Plate (Left/Right) each | 2 | |
| 57 | size | | |
| | • 3 H | 2 | |
| | • 5 H | 2 | |
| | • 7 H | 2 | |
| 12.50 | • 9 H | 2 | |
| 38 | 3.5/4.5 mm Distal Medial Tidial Tibia Locking Plate | | |
| | (Left/Right) each size • 4 H | 2 | |
| | • 6 H | 2 2 | |
| | • 8 H | 2 | |
| | • 10 H | 2 | |
| | • 12 H | 2 | |
| 39 | Proximal Tibial Locking Plate Zimer Type (Left/Right) | | |
| | each size | | |
| | • 4 Holes | 2 | |
| | • 6 Holes | 2 | |
| | 8 Holes 10 Holes | 2 2 | |
| | • 12 Holes | 2 | |
| | • 14 Holes | 2 | |
| 40 | Lower Basis Instrument | | |
| | 2.7 mm Bone Tap | 2 | |
| | 3.5 mm Bone Tap | 2 | |
| | • 2.7 mm Drill Bit | 2 | |
| | 2.0 mm Drill Bit | 2 | |
| | • 3.5 mm Star Sleeve | 2 2 | N |
| | • 2.7 mm Star Sleeve | 2 | lacili. |
| | 3.5 mm Screw Driver (Simple)3.5 mm Star Screw Driver | 2 | |
| | 3.5 mm Star Screw Driver 2.7 mm Star Screw Driver | 2 | 1 |
| | • Z./ mm Star Screw Driver | 2 | |

| | 3.5 mm Torque Screw Driver | 2 | |
|---------|---|-----------------------|------------|
| | 4.5 mm Torque Screw Driver | 2 | |
| | 6.5 mm Screw Driver | | |
| 41 | Bipolar Prosthesis Gamma Sterilized 39 to 53 (2 mm Variation) | 16 | |
| 42 | Harding's Restrictor | 5 | |
| All the | e above implants should be CE Class and ISO 13485-2003, G | MP, SSI, CSPO, IFDA A | PROVE |
| 43 | Cancellous 4 mm Fully THR 12 mm to 30 mm each 5 | 50 | |
| 44 | Cancellous 4 mm Fully THRD 35 mm to 70 mm each 5 | 45 | 7 |
| 45 | Cancellous 4.0 mm Short THR 12 mm to 30 mm each 5 | 50 | |
| 46 | Cancellous 4.0 mm Short THRD 35 mm to 70 mm each 5 | 45 | |
| 47 | Cancellous 6.5 mm Fully THRD 25 mm to 100 mm each 5 | 80 | |
| 48 | Cancellous 6.5x16 mm TH 25 mm to 100 mm each 5 | 80 | |
| 49 | Cancellous 6.5x32 mm TH 40 mm to 100 mm each 5 | 65 | |
| 50 | Cancellous Cannul 7 mm 40 mm to 110 mm each 5 | 75 | |
| 51 | 4.9 mm Lock.Bolt Selt Tapp. 24 mm to 70 mm each 5 | 360 | |
| 52 | DCP Broad 16 mm x 71 mm x 6H | 2 | |
| 53 | DCP Broad 16 mm x 87 mm x 8H | 2 | |
| 54 | DCP Broad 16 mm x 103 mm x 10H | 2 | |
| 55 | DCP Broad 16 mm x 119 mm x 12H | 2 | |
| 56 | DCP Broad 16 mm x 135 mm x 14H | 2 | |
| 57 | DCP Narrow 12 mm x 6 Holes | 2 | |
| 58 | DCP Narrow 12 mm x 8 Holes | 2 | 开 数 |
| 59 | DCP Narrow 12 mm x 10 Holes | 2 | |
| 60 | DCP Narrow 12 mm x 12 Holes | 2 | |
| 61 | DCP Narrow 12 mm x 16 Holes | 2 | A SE |
| 62 | DCP Small 12 mm x 4 Holes | 2 | |
| 63 | DCP Small 12 mm x 6 Holes | 2 | HH. |
| 64 | DCP Small 12 mm x 8 Holes | 2 | |
| 65 | DCP Small 12 mm x 10 Holes | 2 | |
| 56 | DCP Small 12 mm x 12 Holes | 2 | |
| 67 | Malleolar Scr. 4.5 XL 14 TPI 20-80mm | 5 | |
| 58 | Rush Nails RAD/ULNA 2.0 mm* 16-30 cm | 32 | |
| 59 | Rush Nails RAD/ULNA 2.5 mm* 16 | 32 | |
| 70 | Rush Nails RAD/ULNA 3.0 mm* 16 | 32 | |
| 71 | Rush Nails RAD/ULNA 3.5 mm* 16 | 32 | |
| 72 | Square Nails-Radius 2.0 mm 16-30 cm | 32 | |

| 73 | Square Nails-Radius 2.5 mm 16-30 cm | 32 | |
|-----|---|----|---|
| | | | |
| 74 | Square Nails-Radius 3.0 mm 16-30 cm | 32 | |
| 75 | Square Nails-Radius 3.5 mm 16-30 cm | 32 | 1 |
| 76 | Steinman Pins 9"X3,3.5,4,4.5 mm | 40 | |
| 77 | DHS Plate Richard TP 120D 4 Holes & 6 Holes | 4 | |
| 78 | DHS Plate Richard TP 125D 4,6 & 8 Holes | 6 | |
| 79 | DHS Plate Richard TP 130D 4, 6 & 8 Holes | 6 | |
| 80 | DHS Plate Richard TP 135D 4, 6 & 8 Holes | 6 | |
| 81 | DHS Plate Richard TP 140D 4, 6 & 8 Holes | 6 | |
| 82 | D.H.S. LAG Screw (A.O. Type) | 65 | |
| 83 | Length 050 mm to 110 mm each 5 DHS Trochanter Stabilizing Plate | 5 | |
| 84 | Condylar Plates 95Deg 6,8,10,12,14,16 Holes | 6 | |
| 85 | Onethird Tubular Pl.3.5 mm* 4-10 H | 18 | |
| 86 | Onethird Tubular Pl.4.5 mm* 4-10 H | 18 | |
| 87 | T'Buttress Plate 4.5 mm 4-10H | | |
| | | 8 | |
| 88 | L'Buttress Plate Right-Left 4.5 x12 H | 20 | |
| 89 | Reconstruction Plates 3.5 mm 4-16H | 14 | |
| 90 | SCHANZ Scr. 4.5 mm x 7" | 10 | |
| 91 | SCHANZ Scr. 4.5 mm X9" | 10 | |
| 92 | I.O.FEM.INT. Lock. Nail (UNIV) 9 x 34 to 46 cm | 7 | |
| 93 | I.O.FEM.INT. Lock. Nail (UNIV) 10 x 34 to 46 cm | 7 | |
| 94 | I.O.FEM.INT. Lock. Nail (UNIV)11 x 34 to 46 cm | 7 | |
| 95 | I.O.FEM.INT. Lock. Nail (UNIV)12 x 34 to 46 cm | 7 | |
| 96 | I.O.FEM.INT. Lock. Nail (UNIV)9 x 28.5 to 36 cm | 6 | |
| 97 | I.O.FEM.INT. Lock. Nail (UNIV)10 x 28.5 to 36 cm | 6 | |
| 98 | Titanium Elastic Nails 2 x 450 mm | 3 | |
| 99 | Titanium Elastic Nails 2.5 x 450 mm | 3 | |
| 100 | Titanium Elastic Nails 3 x 450 mm | 3 | |
| 101 | Titanium Elastic Nails 3.5 x 450 mm | 3 | |
| 102 | Titanium Elastic Nails 4 x 450 mm | 3 | |
| 103 | Titanium Elastic Nails 4.5 x 450 mm | 3 | |
| 104 | Washer for Cancellous Scr. 7 mm | 5 | |
| 105 | Washer for Cancellous Scr. 6.5 mm | 5 | |
| 106 | Washer for Cancellous Scr.4 m | 5 | |

| 107 | I.O Short PFN 9 X240 mm | 1 |
|-----|--|----|
| 108 | I.O Short PFN 10 X240 mm | 1 |
| 109 | I.O Short PFN 11 X240 mm | 1 |
| 110 | I.O Short PFN 12 X240 mm | 1 |
| 111 | 6.4 mm Locking Bolt-Cannulated 60-120 mm | 65 |
| 112 | 8.0 mm Locking Bolt-Cannulated 60-120 mm | 65 |
| 113 | I.O.Long PFN (R) 09 mm x 340-440 mm | 6 |
| 114 | I.O.Long PFN (R) 10 mm x 340-440 mm | 6 |
| 115 | I.O.Long PFN (R) 11 mm x 340-440 mm | 6 |
| 116 | I.O.Long PFN (R) 09 mm x 340-440 mm | 6 |
| 117 | I.O.Long PFN (L) 10 mm x 340-440 mm | 6 |
| 118 | I.O.Long PFN (L) 09 mm x 340-440 mm | 6 |
| 119 | I.O.Long PFN (L) 11 mm x 340-440 mm | 6 |
| 120 | I.O.Long PFN (R) 12 mm x 340-440 mm | 6 |
| 121 | Locking Calcaneal Plate Small & Medium RT/LT | 4 |
| 123 | Clavicle S-Plate Locking 6,7,8 Hole RT/LT | 6 |
| 124 | Superior Anterior Clavicle Plate (2.7/3.5) 3,5,7,8 Holes RT/LT | 8 |
| 125 | Medium Viscosity Bone Cement antibiotic 40Gms | 10 |
| 126 | High Viscosity Bone Cement 40 Gms | 10 |

(Dr. K. Y. Sultan)
Medical Superintendent,
Government Hospital, Daman

ADMINSTRATION OF DAMAN AND DIU, O/O. THE MEDICAL SUPERINTENDENT, GOVERNMENT HOSPITAL, DAMAN.

Tender Notice No. GHD/ Orthopaedic Implants /2015-2016/2283

Dated:- 15.01.2016

FINANCIAL BID FOR ORTHOPAEDIC IMPLANTS

| 1 | Mini Cortex Screw Xl Dia 2.7 mm-10mm to 30 mm 10 mm | Rate as per Nos./Set | Rate should be onlinewww.nprocure.com |
|----|---|-------------------------|---------------------------------------|
| 2 | Small T-Plate 3.5 mm | 1103.7500 | omniewww.npi ocui e.com |
| 3 | Small Oblique T-Plate 3.5 mm for Left & Right Radius | | |
| 4 | Clover Leaf-Plate 3.5 mm each size | | |
| 5 | Y- Plate 3.5 mm each size | | |
| 6 | Self Compression Plate (S.C.P.) 2.7 mm | | |
| | ING PLATE SYSTEM | | |
| 7 | Humeras Interlocking Nail Dia. 6.5 mm & 7.5 mm | | |
| 8 | Locking Screw Dia. 3.4 mm for Humeras I/L Nail | | |
| 9 | Plug Cap for Humeras I/L Nail | | |
| 10 | LCSCP 3.5 mm Small with Locking System | | |
| 11 | LCSCP 4.5 mm Narrow with Locking System | | |
| 12 | LCSCP 4.5 mm Broad with Locking System | | |
| 13 | Cortex Screw Dia. 3.5 mm | | |
| 14 | Cortex Srew Dia 3.5 mm for Locking Plate with locking Head | | |
| 15 | Cortex Screw Dia. 4.5 mm 10 each size | | |
| 16 | Cortex Screw Dia. 4.5 mm for Locking Plate with locking Head 10 each size | 5 | |
| 17 | Distal Radius Locking Volar Plate Diff. type 2.4 mm 3,4,5,6 RT & LT | | |
| 18 | Distal Radius Locking Dorsal Plate Diff. type 2.4 mm 3,4,5, RT & LT | Sur | |
| 19 | 2.4 mm Locking Head Screw 8 mm to 30 mm 5 each | | |
| 20 | Locking Olecranon Plate 2 Holes to 10 Hole RT & LT | | A . |
| 21 | Small T Plate 3.5 mm with Locking System (1 mm Hole Variation) | | |
| 22 | Reconstruction Plate 3.5 mm with Locking System | | |
| 23 | T Plate 4.5mm with Locking System | | |
| | | | 16 |

| 24 | T Butterss Plate 4.5 mm with Locking System | | |
|----|--|---------------|----------------------------|
| 25 | L Butterss Plate 4.5 mm Left Leg with Locking System | | |
| 26 | L Buttress Plate 4.5 mm Right Leg with Locking System | | |
| 27 | Lateral Tibal Head Buttress Plate 4.5 mm with Locking Systems Left/Right | | |
| 28 | Distal Femoral Plate with Locking System Left/ Right | | |
| 29 | DHL Dorsolateral Locking Plate 3.5 mm (without Support) Let/ Right | | |
| 30 | DHL Medial Locking Plate 3.5 mm Left/ Right | | |
| 31 | PHMA Locking Plate (Proximal Humerus Multi Angle) | | |
| 32 | Metaphyseal Distal Medial Humerus Locking Plate 3.5 mm | | |
| 33 | Distal Medial Tibia Locking Plate 3.5 mm Left/Right | | |
| 34 | Promimal Medial Tibia Locking Plate 3.5 mm Left/ Right | | |
| 35 | Proximal Lateral Tibia Locking Plate 3.5 mm Left/ Right each size | | |
| 36 | Humerus without support Locking Plate (Left/Right) | | |
| 37 | Humerus with support Locking Plate (Left/Right) | | |
| 38 | 3.5/4.5 mm Distal Medial Tidial Tibia Locking Plate (Left/Right) | | * |
| 39 | Proximal Tibial Locking Plate Zimer Type (Left/Right) | | |
| 40 | Lower Basis Instrument | | |
| 41 | Bipolar Prosthesis Gamma Sterilized 39 to 53 (2 mm Variation) | | |
| 42 | Harding's Restrictor above implants should be CE Class and ISO 134 | 85-2003 CMP | SSI CSPO IFDA APROVI |
| 43 | Cancellous 4 mm Fully THR 12 mm to 30 mm each 5 | 55 2005, divi | , our, our of a mixim move |
| 44 | Cancellous 4 mm Fully THRD 35 mm to 70 mm each 5 | | |
| 45 | Cancellous 4.0 mm Short THR 12 mm to 30 mm each 5 | | |
| 46 | Cancellous 4.0 mm Short THRD 35 mm to 70 mm each 5 | | |
| 47 | Cancellous 6.5 mm Fully THRD 25 mm to 100 mm each 5 | | |
| 48 | Cancellous 6.5x16 mm TH 25 mm to 100 mm each 5 | | 11/00 |

| 49 | Cancellous 6.5x32 mm TH 40 mm to 100 mm each 5 | |
|----|---|--|
| 50 | Cancellous Cannul 7 mm 40 mm to 110 mm each 5 | |
| 51 | 4.9 mm Lock.Bolt Selt Tapp. 24 mm to 70 mm each 5 | |
| 52 | DCP Broad 16 mm x 71 mm x 6H | |
| 53 | DCP Broad 16 mm x 87 mm x 8H | , h = |
| 54 | DCP Broad 16 mm x 103 mm x 10H | The state of the s |
| 55 | DCP Broad 16 mm x 119 mm x 12H | |
| 56 | DCP Broad 16 mm x 135 mm x 14H | |
| 57 | DCP Narrow 12 mm x 6 Holes | |
| 58 | DCP Narrow 12 mm x 8 Holes | |
| 59 | DCP Narrow 12 mm x 10 Holes | |
| 60 | DCP Narrow 12 mm x 12 Holes | |
| 61 | DCP Narrow 12 mm x 16 Holes | |
| 62 | DCP Small 12 mm x 4 Holes | |
| 63 | DCP Small 12 mm x 6 Holes | |
| 64 | DCP Small 12 mm x 8 Holes | |
| 65 | DCP Small 12 mm x 10 Holes | |
| 66 | DCP Small 12 mm x 12 Holes | |
| 67 | Malleolar Scr. 4.5 XL 14 TPI 20-80mm | |
| 68 | Rush Nails RAD/ULNA 2.0 mm* 16-30 cm | |
| 69 | Rush Nails RAD/ULNA 2.5 mm* 16 | |
| 70 | Rush Nails RAD/ULNA 3.0 mm* 16 | |
| 71 | Rush Nails RAD/ULNA 3.5 mm* 16 | |
| 72 | Square Nails-Radius 2.0 mm 16-30 cm | |
| 73 | Square Nails-Radius 2.5 mm 16-30 cm | |
| 74 | Square Nails-Radius 3.0 mm 16-30 cm | |
| 75 | Square Nails-Radius 3.5 mm 16-30 cm | |
| 76 | Steinman Pins 9"X3,3.5,4,4.5 mm | 11 1/16 |
| 77 | DHS Plate Richard TP 120D 4 Holes & 6 Holes | |
| 78 | DHS Plate Richard TP 125D 4,6 & 8 Holes | |
| 79 | DHS Plate Richard TP 130D 4, 6 & 8 Holes | 100 |

| 80 | DHS Plate Richard TP 135D 4, 6 & 8 Holes | |
|-----|--|----------|
| 81 | DHS Plate Richard TP 140D 4, 6 & 8 Holes | |
| 82 | D.H.S. LAG Screw (A.O. Type) | |
| 83 | DHS Trochanter Stabilizing Plate | |
| 84 | Condylar Plates 95Deg 6,8,10,12,14,16 Holes | |
| 85 | Onethird Tubular Pl.3.5 mm* 4-10 H | |
| 86 | Onethird Tubular Pl.4.5 mm* 4-10 H | |
| 87 | T'Buttress Plate 4.5 mm 4-10H | |
| 88 | L'Buttress Plate Right-Left 4.5 x12 H | |
| 89 | Reconstruction Plates 3.5 mm 4-16H | |
| 90 | SCHANZ Scr. 4.5 mm x 7" | |
| 91 | SCHANZ Scr. 4.5 mm X9" | |
| 92 | I.O.FEM.INT. Lock. Nail (UNIV) 9 x 34 to 46 cm | |
| 93 | I.O.FEM.INT. Lock. Nail (UNIV) 10 x 34 to 46 cm | |
| 94 | I.O.FEM.INT. Lock. Nail (UNIV)11 x 34 to 46 cm | |
| 95 | I.O.FEM.INT. Lock. Nail (UNIV)12 x 34 to 46 cm | |
| 96 | I.O.FEM.INT. Lock. Nail (UNIV)9 x 28.5 to 36 cm | |
| 97 | I.O.FEM.INT. Lock. Nail (UNIV)10 x 28.5 to 36 cm | |
| 98 | Titanium Elastic Nails 2 x 450 mm | |
| 99 | Titanium Elastic Nails 2.5 x 450 mm | |
| 100 | Titanium Elastic Nails 3 x 450 mm | 11/21/19 |
| 101 | Titanium Elastic Nails 3.5 x 450 mm | |
| 102 | Titanium Elastic Nails 4 x 450 mm | |
| 103 | Titanium Elastic Nails 4.5 x 450 mm | |
| 104 | Washer for Cancellous Scr. 7 mm | |
| 105 | Washer for Cancellous Scr. 6.5 mm | |
| 106 | Washer for Cancellous Scr.4 m I.O Short PFN 9 X240 mm | |
| 108 | I.O Short PFN 10 X240 mm | |
| 109 | I.O Short PFN 11 X240 mm | |
| 110 | I.O Short PFN 12 X240 mm | |
| 111 | 6.4 mm Locking Bolt-Cannulated 60-120 mm | |
| 112 | 8.0 mm Locking Bolt-Cannulated 60-120 mm | P. I. |
| | | |

| 113 | I.O.Long PFN (R) 09 mm x 340-440 mm | |
|-----|---|--|
| 114 | I.O.Long PFN (R) 10 mm x 340-440 mm | |
| 115 | I.O.Long PFN (R) 11 mm x 340-440 mm | |
| 116 | I.O.Long PFN (R) 09 mm x 340-440 mm | |
| 117 | I.O.Long PFN (L) 10 mm x 340-440 mm | |
| 118 | I.O.Long PFN (L) 09 mm x 340-440 mm | |
| 119 | I.O.Long PFN (L) 11 mm x 340-440 mm | |
| 120 | I.O.Long PFN (R) 12 mm x 340-440 mm | |
| 121 | Locking Calcaneal Plate Small & Medium RT/LT | |
| 123 | Clavicle S-Plate Locking 6,7,8 Hole RT/LT | |
| 124 | Superior Anterior Clavicle Plate (2.7/3.5) 3,5,7,8 Holes RT/LT | |
| 125 | Medium Viscosity Bone Cement antibiotic 40Gms | |
| 126 | High Viscosity Bone Cement 40 Gms | |

(Dr. K. Y. Sultan) IS (1) (b) Medical Superintendent, Government Hospital, Daman