

Name of the unit		M/s Cello Household Products,	
Address		Sr. No. 710, 711, 714 to 717, Somnath Road, Village Dabhel, Daman.	
Area		Dabhel	
Category		ORANGE	
Applied for		Consent to Operate under Water Act and Air Act.	
Consent granted for		Plastic thermoware & vaccumware, articles, plastic household and industrial items, plastic moulded furniture & other plastic moulded parts. (by way of RMs – injection moulding – PU filling- assembling – packing only) and D. G. Set – 625 KVA -1 No. valid upto 30/11/2015.	
Sr. No.	Documents required	Submitted Yes/No/NA	
1.	Application in Form XIII under Water Act	Yes (at C/171)	
2.	Application in Form I under Air Act	Yes (at C/165)	
3.	Declaration showing capital investment.	Yes (at C/161)	
4.	Consent fees under Water Act and Air Act.	Yes Rs. 10,000/- (at C/169)	
5.	Environment statement in FORM V	NA	
6.	Application for authorization to handle hazardous waste and industry data sheet.	Yes (at C/153)	
7.	Copy of hazardous waste manifest in Form 13.	NO	
8.	Copy of membership of common TSDF	NA	
9.	Copy of analysis of treated effluent	NA	
10.	Copy of stack monitoring report and ambient air quality monitoring report.	NA	
11.	Copy of noise level report etc.	NA	
12.	Any other details/documents/ Performance report of APCD	NA	
Effluent discharge with quantity			
	Consumption	Discharge	
Domestic water	0.5 KL/Day	0.3 KL/Day	
Industrial water	NIL	NIL	
Air Emission			
Installation	Fuel used	Stack/Acoustic	
Boiler/TFH/D. G. Set	NA	NA	
Details of Effluent Treatment Plant/APCDS - NA			
ETP	NA		
APCDS	NA		
Monitoring Reports			
Effluent Norms (NA)			
	Norms as per consent	As per report	
pH	6.5-9.0	--	
Suspended Solids	Not to exceed 100 mg/Lit	--	
BOD	Not to exceed 100 mg/Lit	--	
COD	Not to exceed 250 mg/Lit	--	

0-2236

N/5

File No. PCC/DDD/O-2236/WA/AA/DB/14-15/

M/s Cello Household Products, Daman.

Oil & grease	Not to exceed 10 mg/Lit	--
Air Emission from stack - NA		
	Norms as per consent	As per report
Particulate Matter	150 mg/NM ³	--
SO ₂	40 mg/NM ³	--
NO _x	25 mg/NM ³	--
Ambient air emission - NA		
	Norms as per consent	As per report
Particulate Matter ₁₀	100 µg/m ³	--
Particulate Matter _{2.5}	60 µg/m ³	--
NO ₂	80 µg/m ³	--
SO ₂	80 µg/m ³	--
Submitted:-		
<p>The unit was inspected on 13/05/2015 in presence of Mr. Gopal representative of the unit and following observations were made:-</p> <ul style="list-style-type: none"> • The unit was in operation at the time of inspection. • The unit is engaged in manufacturing of plastic pet bottles only at the time of inspection. • The unit has installed machinery such as blow moulding machines – 03 Nos. • Manufacturing process is by way of blow moulding only. • Unit has displayed sign board at the main gate of the unit. • Regarding D. G. Set the unit person informed that there are two units namely M/s Cello House hold products and M/s Cello Home products in same premises. The D. G. Set is presently in M/s Cello Home products and not in M/s Cello Household Products. <p>In view of above if approved consent to operate under Water Act and Air Act to manufacture plastic household and industrial items – 2400 MTPA is placed in file for approval,</p>		
<p>pl. <i>D.T. Lauer</i> 13/5/15</p>		
Member Secretary		

1928
 14/5/15
 1994

The above proposal for CTO as detailed on N/4 and N/5 may pl. be approved.

[Signature]
13/5/2015

CONTROL COMMITTEE
 3 & 4, P. and Dadra & Nagar Haveli

Page No. 29
 09

14/05/15
 20/05/15

Chairman, PCC
MS/PCC
18/5

[Signature]
20/5/2015